



FAST BREAK®
Antifoaming/Defoaming Agent

FAST BREAK is a highly effective silicone emulsion for use in most spray application equipment to eliminate foam.

PRINCIPAL FUNCTIONING AGENTS:

Block copolymer, methylated silicone,
Dimethylpolysiloxane, silicon dioxide 17.35%

CONSTITUENTS INEFFECTIVE AS SPRAY ADJUVANT 82.65%

TOTAL 100.00%

All ingredients are exempt from the requirements of a tolerance in 40 CFR 180 or are permitted in 21 CFR 184.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Harmful if swallowed. Causes substantial but temporary eye injury. Avoid contact with skin, eyes or clothing. Wear eye protection and chemical-resistant gloves when mixing or handling product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ALWAYS SHAKE WELL BEFORE USING

WA Reg. No. AW1381-50006

Distributed by
Agrilience, LLC.
P.O. Box 64089, St. Paul, MN 55164-0089

NET CONTENTS
ONE PINT

DIRECTIONS FOR USE
For Terrestrial Use Only – Not For Aquatic Use

The use of FAST BREAK can control foaming of spray mixtures. The reduction of foam can decrease mixing and filling times and reduce material loss caused by foaming over of spray tanks. It can reduce risks of unwanted and unsightly vegetation kills or contamination caused by foaming over.

For foam reduction when mixing spray solutions, add FAST BREAK at the rate of 1 ounce per 100 gallons of solution. Water hardness, temperature and spray tank mixture may call for more or less. Adjust the rate until the desired control is achieved. Add FAST BREAK to the partly water-filled tank first and agitate well before adding other products to the spray solution.

If foaming should occur after spray mixture is in tank, FAST BREAK can be applied directly to the surface using the trigger sprayer for fast foam knockdown.

STORAGE AND DISPOSAL

Storage: Store above 40°F. Do not freeze. Store in original container only. Do not contaminate water, food or feed by storage or disposal.

Container Disposal: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. Contact your state and local ACRC recycler or visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

Notice of Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.